



AKCE PODZIM 2024

PRÉMIOVÝ PARTNER PRO LESNÍ PNEUMATIKY



Lesné pneumatiky pro harvestory



			PR	TL/TT					CZK	
Rozmer	Nosn./Rýchł. index	Dezén	PR	TL/TT	Disk	Nosnosť	km/h	Tlak vzduchu v bar	Netto predajná cena	
									Pneumatika	Duša
600/50 - 22.5	158 A2/151 A8	Forestar 344	16	TL	20.00	4250/3450	10/40	3,2	27 960	1 810
600/50 - 22.5	167 A2/159 A8	Forestar 644 III	20	TT	20.00	5450/4375	10/40	5,0	30 860	1 810
710/40 - 22.5	161 A2/154 A8	Forestar 344	16	TL	24.00	4625/3750	10/40	3,6	24 980	2 010
710/40 - 22.5	159 A2/152 A8	Forestar 343	16	TL	24.00	4375/3550	10/40	3,2	29 190	2 010
710/40 - 22.5	168 A2 / 161 A8	Forestar 644 III	20	TT	24.00	5600/4625	10/40	5,0	26 510	2 010
710/40 - 24.5	170 A2/163 A8	Forestar 344	20	TL	24.00	6000/4875	10/40	5,0	33 600	-
600/55 - 26.5	172 A2/165 A8	Forestar 344	20	TL	20.00	6300/5150	10/40	5,0	34 560	2 000
600/55 - 26.5	172 A3/165 A8	Forestar 644 III	20	TT	20.00	6300/5150	15/40	5,0	39 090	2 000
710/45 - 26.5	175 A2/168 A8	Forestar 344	20	TL	24.00	6900/5600	10/40	5,0	37 550	2 450
710/45 - 26.5	175 A2/168 A8	Forestar 644 III	20	TT	24.00	6900/5600	10/40	5,5	36 460	2 450
710/45 - 26.5	175 A2/168 A8	Forestar 343	20	TL	24.00	6900/5600	10/40	5,0	35 660	2 450
750/55 - 26.5	184 A2/177 A8	Forestar 344	20	TL	24.00	9000/7300	10/40	5,0	45 990	3 200
750/55 - 26.5	189 A2/182 A8	Forestar 644 III	24	TT	24.00	10300/8500	10/40	6,0	43 350	3 200
700/55 - 34	171 A2/164 A8	Forestar 346	20	TL	24.00	7000/5000	10/40	4,5	55 220	2 900
700/70 - 34	180 A2/173 A8	Forestar 346	20	TL	20.00	8000/6500	10/40	4,2	61 360	-

Lesné pneumatiky pro skidders

			PR	TL/TT					CZK	
Rozmer	Nosn./Rýchł. index	Dezén	PR	TL/TT	Disk	Nosnosť	km/h	Tlak vzduchu v bar	Netto predajná cena	
									Pneumatika	Duša
23.1 - 26	172 A2/160 A6	Forestar 345	16	TL	20.00	6300/4500	10/30	2,4	42 350	1 500
28 L - 26	177 A2/165 A6	Forestar 345	20	TL	25	7300/5150	10/30	2,4	49 930	-
420/85 - 30	150 A6	Forestar 345	16	TT	15	3350	30	3,25	35 060	1 040



Forestar 346



Forestar 344



Forestar 644 III



Forestar 345



Forestry 356

Rozmer	Nosn./Rýchł. index	PR	TL/TT	Nosnosť	km/h	Tlak vzduchu v bar	CZK	
							Pneumatika	Duša
11.2 -24	125 A2/119 A8	10	TL	1650/1360	10/40	3,0	10 720	470
12.4 -24	136 A2/128 A8	12	TL	2240/1800	10/40	3,5	12 350	530
13.6 -24	136 A2/128 A8	10	TL	2240/1800	10/40	2,5	15 220	560
13.6 -28	138 A2/130 A8	10	TL	2360/1900	10/40	2,5	16 130	610
16.9 -28	152 A2/145 A8	14	TL	3550/2900	10/40	2,7	22 960	920
18.4 -30	158 A2/151 A8	14	TL	4250/3450	10/40	2,6	25 540	1 100
16.9 -34	153 A2/146 A8	14	TL	3650/3000	10/40	2,5	25 350	1 100
16.9 -38	156 A2/149 A8	14	TL	4000/3250	10/40	2,6	26 630	1 110



Agro Forestry 333

Rozmer	Nosn./Rýchł. index	PR	TL/TT	Nosnosť	km/h	Tlak vzduchu v bar	CZK	
							Pneumatika	Duša
320/85 -24	127 A8/124 B	14	TL	1750/1610	40/50	2,4	11 820	530
380/85 -24	137 A8/134 B	14	TL	2300/2090	40/50	2,4	13 550	620
380/85 -28	139 A8/136 B	14	TL	2430/2210	40/50	2,4	14 570	760
420/85 -28	144 A8/141 B	14	TL	2800/2575	40/50	2,4	18 260	920
420/85 -30	145 A8/142 B	14	TL	2900/2650	40/50	2,4	17 270	1 040
460/85 -30	150 A8	14	TL	3350	40	2,4	22 690	1 100
420/85 -34	147 A8/144 B	14	TL	3075/2800	40/50	2,4	19 940	1 100
460/85 -34	152 A8/149 B	14	TL	3550/3250	40/50	2,4	24 090	1 200
420/85 -38	149 A8/146 B	14	TL	3250/3000	40/50	2,4	24 490	1 110
460/85 -38	154 A8/151 B	14	TL	3750/3450	40/50	2,4	25 520	1 310
520/85 -38	160 A8/157 B	14	TL	4500/4125	40/50	2,4	30 120	1 500
520/85 -42	162 A8/159 B	14	TL	4750/4375	40/50	2,4	37 510	1 860





Forestry 370

		PR	TL/TT				CZK	
Rozmer	Nosn./Rýchł. index	PR	TL/TT	Nosnosť	km/h	Tlak vzduchu v bar	Netto predajná cena	
							Pneumatika	Duša
380/70 - 24	138 A2/130 A8	14	TL	2360/1900	10/40	2,7	18 150	560
420/70 - 24	145 A2/138 A8	14	TL	2900/2360	10/40	3,0	19 690	620
380/70 - 28	145 A2/138 A8	14	TL	2900/2360	10/40	3,0	19 120	610
420/70 - 28	147 A2/140 A8	14	TL	3075/2500	10/40	2,5	20 410	760
480/70 - 28	152 A2/145 A8	14	TL	3550/2900	10/40	2,7	28 850	920
480/70 - 34	153 A2/146 A8	14	TL	3650/3000	10/40	2,5	28 930	1 100
520/70 - 34	161 A2/154 A8	14	TL	4625/3750	10/40	2,5	39 540	1 200
480/70 - 38	157 A2/150 A8	14	TL	4125/3350	10/40	2,7	32 020	1 110
520/70 - 38	162 A2/155 A8	14	TL	4750/3875	10/40	2,5	44 820	1 310
580/70 - 38	168 A2/160 A8	14	TL	5600/4500	10/40	2,5	50 620	1 500



PETR ŠEREDA

E-mail: sereda@lesni-technika.cz

Telefon: +420 724 323 326



REPAROSERVIS SPOL. S R.O.

www.lesni-technika.cz